

## NUCLEAR MEDICINE PATIENT INSTRUCTIONS

# Myocardial Perfusion with Lexiscan Stress Test

Patient:		Appointment Date:	
Arrival Time:	am/pm	Scan Time:	am/pm
Location:	Nuclear Medicine at Mankato Clinic 1230 East Main Street, Mankato, MN 56001		

#### Please check in at Central Registration prior to going to Nuclear Medicine

If you are unable to keep your appointment or have questions, please call 507-389-8519.

#### What is a/an Myocardial Perfusion Test:

A Myocardial Perfusion scan with Lexiscan is a test that uses a small amount of a radioactive imaging agent to assess the blood flow to the heart muscle at rest and at stress. Images are produced at rest and then again following the injection of a medication called Lexiscan, which is given as an alternative to being physically stressed on a treadmill. Reasons for a Myocardial Perfusion test may include: to assess the overall function of the heart muscle, to assess the damage to the heart following a heart attack, and to assess coronary symptoms such as chest pain and shortness of breath.

#### How do I prepare for the test:

- Before scheduling your test, please tell your provider if you are:
  - Breastfeeding, pregnant or think you may be pregnant.
  - Allergic to intravenous contrast (IV X-ray dye). You may need to take special medication before your test.
  - Diabetic. Your provider will instruct you about taking your diabetes medications. Some medications may need to be stopped after the test.
- Day of test:
  - o Do not smoke 24 hours before the exam. This includes nicotine patches.
  - Do not eat or drink anything with caffeine 24 hours before the exam. This includes decaffeinated coffee and all types of tea, soda, chocolate items, Anacin® and Excedrin®.
  - Do not eat or drink anything 6 hours before the exam.
  - o Do not apply any lotions to your skin (the ECG patches will not adhere as well).
  - o Follow instructions given by your doctor regarding your medications. Bring a written list of all medicines you take. Be sure to include prescriptions, over-the-counter medicines, herbal and natural products. Bring any respiratory inhalers you use regularly. If you are experiencing a cough at the time of the exam, please bring cough suppressants/drops.
  - o Wear loose, comfortable clothing and walking shoes with no metal above the waist.
  - You will be asked to undress from the waist up. Women are asked to wear a sports bra and will be given a gown to wear during the test.
  - Tell your provider if you have had a PET/CT scan in the last 48 hours.
  - Notes for providers:
    - Patient using Dipyridamole or Dipyridamole containing medication (Aggrenox and/or Persantine) need to review with their provider.
       These medications cannot be taken within 48 hours of the test.
    - Patients who have been given Aminophylline containing medications within 24 hours prior to the test will need to reschedule the stress test.
    - Methylxanthines and Theophylline may interfere with the activity of Lexiscan.

### What will happen during the test:

- The technologist will start an intravenous (IV) line in your arm or hand. You will be given an injection of a radioactive material through the IV.
- You will lie on your back on the imaging table. Images will be taken of your heart with a special camera. This will take about 25 minutes. You must lie still during the images.
- You will go to the stress lab for the stress portion of the exam. A nurse or stress tech will place ECG patches on your chest and a blood pressure cuff on your arm. These will be used to monitor you during the exam.
- You will get an injection of Lexiscan and the radioactive material through the IV.
- After the stress test, a second set of pictures will be taken of your heart in the nuclear imaging room. These images will take about 15 to 20 minutes. You must lie still during the images. The exam takes about 3 to 4 hours.

#### Instructions for after your test:

- Your provider will share the results of your test with you at your follow-up appointment. If you do not have a follow-up appointment, your provider may contact you by letter. If not, you may contact your provider's office five to seven business days after your test to obtain results.
- The IV and ECG patches will be removed.
- Activity level: Maintain activity level based on your provider's recommendation until you receive your results. If your provider has not given you activity
  instructions, please maintain minimal activity until your provider contacts you with the results.